

AMILO Li 1720

Large package for little money

Issue August 2007

Pages 3

The AMILO Li 1720 has been designed for users who demand entertainment and visual innovation on a budget. The extra wide 15.4-inch BrilliantView display and the ATI Radeon Xpress 200 M graphic card makes it a great multimedia notebook, which offers you amazing sharp and detailed pictures. Featuring S-Video out and 4 USB 2.0 ports, the AMILO Li 1720 offers you limitless connectivity to all your devices and peripherals and the additional integrated WLAN makes you independent from place, time and cables. And combined with its great audio quality this notebook gives you the possibility to enjoy your music and films wherever you are.

The AMILO Li 1720 is a basic notebook which represents the perfect balance between mobility and multimedia.

Features

- Intel® mobile technology with Intel® Celeron® M Processor (up to Yonah 1.73 GHz)
- Enjoy the viewing quality of an 15.4" wide TFT WXGA BrilliantView display
- ATI Radeon Xpress 200M (shared graphics) up to 256MB Hypermemory
- Connect your notebook to external peripherals, storage devices or video equipment through its various interfaces
- Built-in Multi format DVD burner with double layer support to enjoy multimedia on the move
- DDR2 SDRAM in two memory SO-DIMM slots
- Windows® XP Home and Application Software



Operating system

Microsoft Windows XP Home
Windows Vista® Capable¹

Fujitsu Siemens Computers recommends Microsoft® Windows® XP Professional**Optional Application Software**

Microsoft® Works + Office Trial STE Edition
Nero Essentials (CD/DVD burning Software)
Nero Showtime (DVD-Player)
Adobe Acrobat Reader
Norton Internet Security Suite
Norman Anti-Virus
Country specific Internet Service Providers

Manual, Safety Guide and Warranty Guide

Drivers and Utility

Drivers and Utility DVD included.
Updates downloadable at
<http://www.fujitsu-siemens.com>

System, processor, architecture

Chipset: ATI RC415MD + SB460
CPU: Intel® Celeron® M processors with 533MHz FSB:
- Celeron® M 410 / 1.46GHz / 1MB 2nd level cache
- Celeron® M 420 / 1.60GHz / 1MB 2nd level cache
- Celeron® M 430 / 1.73GHz / 1MB 2nd level cache

Memory

2 SO-DIMM memory slots (no memory on board)
256MB DDR2 533MHz
512MB DDR2 533MHz
1GB DDR2 533MHz

Storage devices / drives**HDD:**

60, 80 and 100GB PATA hard disk

ODD:

8x Multi-format DVD burner with double layer
- Read speed: CD-ROM 24x, DVD-ROM 8x
- Write speed: CD-R 24x, CD-RW 16x, DVD+R 8x, DVD-R
8x, DVD+RW 6x, DVD-RW 6x, DVD+R DL
(Double Layer 8.5GB) 2,4x, DVD-R DL
(Double Layer 8.5GB) 4x

Display

BrilliantView
Panel size: 15.4" TFT WXGA, 1280 x 800 pixel
Compliance with standards ISO 13406-2 Class II

Graphics

ATI Radeon Xpress 200M with up to 256MB Hypermemory
Dual view possible under Windows® XP Home
Maximum recommended external resolution (CRT only)
1600 x 1200 / 16M / 85 Hz

I/O Interfaces

4x USB (version 2.0)
1x S-video (4 pin)
1x VGA (VESA compatible)
1x IEEE 1394
1x ExpressCard slot (34/54mm)
1x 4-in-1 Card reader (SD/MS/MMC/xD)
1x DC-In
1x RJ11 for modem 56 Kbps (.V92)
1x RJ45 for LAN (10/100)
1x line out shared with headphone out (stereo)
1x line in shared with microphone in (mono)

Communications

Built-in 56K, .V92 fax modem (MDC 1.5)
10/100Mbps LAN
Integrated wireless LAN (WLAN) solution 802.11b/g
speeds up to 54Mbps
industry standard wireless LAN security support
Excellent performance through per packet antenna
selection
For use in BE, CH, DK, DE, EE, FI, FR, EL, IE, IS, IT, LI,
LV, LT, LU, MT, NL, NO, PL, AT, PT, SE, SK, ES, CZ, HU,
UK, CY, NL

Audio

Azalia codec, 2 built-in high quality speakers, microphone in combined with stereo line-in, headphone out shared with line-out, sound volume controlled by Hot Keys

Launch Keys

launch the following applications:

- WLAN antenna on/off
- Internet browser
- Silent mode (reduce noise level / fan speed, by reducing the CPU & VGA performance)
- Power on

Pointing devices & control buttons

Touchpad with a left and right mouse button

Power button / lid switch

Security

User and supervisor password

Kensington Lock

Power system

Li-Ion battery 6 cells, 11.1V / 4400mAh

Approximately 2.00 hrs battery runtime, depending upon usage²

Dynamic charge supported, ACPI 2.0 supported

External universal AC adapter: 110 – 240 V AC, 50 - 60Hz, output: 65 W with 20V DC

Dimensions and weight

355mm (W) x 256mm (D) x 24 – 34mm (H)

Approximately: 2.7 kg³

Operating conditions

operational: 15° - 35°C (ambient temperature)

10% to 90% relative humidity, non-condensing

Certifications

CE Marking

R&TTE (WLAN)

Warranty

Country specific terms

Accessories (optional)

AC adapter

USB Floppy Drive

Carrying Devices

- 1) Not all Windows Vista® features are available for use on all Windows Vista Capable PCs. All Windows Vista Capable PCs will run the core experiences of Windows Vista, such as innovations in organizing and finding information, security, and reliability. Some features available in premium editions of Windows Vista - like the new Windows® Aero™ user interface - require advanced or additional hardware. Check www.windowsvista.com/getready for details.
- 2) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Recharge time varies depending on usage. The recharge capacity may diminish after some months so that the battery lifetime as well as operating time can not be assured.
- 3) Weight may vary depending on actual configuration